

BALANCERS

Series 63X stainless steel wire rope

ART. 634

type Balancer with safety system

mm 245x200x110

Cable type INOX Steel

Capacity (kg) 4 ÷ 6






TECHNICAL DATA

| Article | Description | Fall prevention system | Cable diameter (mm) | Cable Type | Capacity (kg) | weight (gr) |
|---------|-----------------------------|------------------------|---------------------|------------|---------------|-------------|
| 634 | Balancer with safety system | yes | 2.5 | INOX Steel | 4 ÷ 6 | 3000 |



OVERALL DIMENSIONS



Technical features

- Die-cast aluminum structure.
- Continuous load regulation from maximum to minimum value.
- Rope travel easily adjustable to adapt to every need.
- Four suspension points.
- Three anchor points.

The support cable can be in stainless steel or in HT polyethylene textile fiber.

BALANCERS WITH STAINLESS STEEL SUPPORT CABLE

For operators who prefer metal cables, we offer the balancer with stainless steel cable.





ART. 982

Spiral hose (PA12) 8 x 10 for balancers.

This useful accessory can be applied on balancers art. 620, 621, 622, 630, 631 and 632. It is supplied with assembly instructions, all accessories and 1 m of additional hose for connection to the compressed air network and to the tool.

